



SHINING RIMS

ADVANCED TECH & QUALITY

2023+

PRODUCT SPECIFICATION GUIDE



ROAD RACING

A-600
A-360
A-350DB
A-350
A-340-S
A-330
AP-410
A-340

06

A-T300
A-310
A-280
A-260
A-240
A-220

07

RA-300
RA-600
RR-600
RR-300
RC-200
A-M8

08

FAT BIKE

SB-100
SB-T80
SB-90
SB-80
SB-60
MP-80

10



DOWNHILL

DB-Z50
DB-X50
DB-X45
DB-X40
DB-X38
DB-X30

12

DB-X21
DB-50
DB-45
DB-35
DB-32

13

DB-31
DB-30
DB-M3
DB-T280
DB-S260
DB-T260

14

DB-S240
DB-28
DB-25
DB-24
DB-22

15

DB-21
DB-19
DB-18
DB-17

16

ATB/MTB/TREKKING

AS-T35
AS-T31
AS-T30
AS-35P
AS-30P
AS-25P
A-325D
A-320

18

AS-210-S
AS-210-P
AS-19
A-M7
A-M6
A-M5

19

A-S300
A-300
A-S262
A-262
A-250
A-X240

20

A-M4
A-M3
A-M1
MT-96
MT-86
MT-66
MT-46
MT-26

21

MT-25
MT-S16
MT-21
MT-20
MT-18
CT-46

22

BMX FREESTYLE

BX-38
BX-36
BX-34
BX-33

24

BX-32
BX-28
BX-26

25

BX-S22
BX-20
BX-16
BX-15
BX-14

26

SINGLE WALL

MP-50
MP-32
MP-22
EMP-50

28

A-5N
A-6N
A-7N
A-8V

29

A-7X
A-5X
A-35X
LP-60
LP-50
LP-40

30

STEEL RIM

7A
7X
SPOKES
NIPPLES

32


MOTOR RIM

STEEL RIM
YL
TL
U
WM
H
MT

34

ABOUT

SHINING CYCLE, Taiwan manufacturer of Bicycle rims, Motorcycle rims and Bike components established in 1972. With more than 40 years of experience, SHINING CYCLE has become one of the biggest rim manufacturer in Taiwan and more than 500 staffs at the two principal sites in Taiwan and Vietnam, which provide more than 1000 million pairs of rims for the world bicycle riders per year. SHINING CYCLE always uses advanced technology and equipment to keep products ahead of the market and could perform its best to those bicycle lovers. As we design rims, we build rims, we test rims, we ride on our rims, then we love our rims, thus we know what riders need and even more. We, at SHINING CYCLE, are aiming to bring joy and create excitement to the world cyclists. When you are riding on SHINING rims, the wind touches the skin, you will experience the power of SHINING rims and enjoy the nature environment around you. So, make your rims SHINING today!





CONTACT

享勵工業股份有限公司 (台灣)

71041 台南市 永康區 環工路7號

<http://www.shining-cycle.com> | Email:slcycle@shining-cycle.com

SHEANG LIH CYCLE INDUSTRY CO., LTD.

Postal# 71041, No.7, Hwan Gong Rd., Yung Kang Dist., Tainan City, Taiwan

Tel : +886-6-2042077~8 | Fax : +886-6-2337514

SHEANG LIH CYCLE (VIETNAM) ENT. LTD.


Postal# 824843, No.21, Road DT743, Lot N, Song Than Industrial Zone II,
Tan Dong Hiep Commune, Di An Dist., Binh Duong Province, Vietnam

Tel : +84-274-3730188 | Fax : +84-274-3730218



BICYCLE RIM
ROAD RACING


A-600



SIZE	WEIGHT	ERD
700C(622-13)	665g	574mm
650C(571-13)	615g	524mm

HOLES : 20H/24H/28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW

A-360




SIZE	WEIGHT	ERD
700C(622-14)	527g	584mm

HOLES : 20H/24H/28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW

A-350DB


NEW



SIZE	WEIGHT	ERD
700C(622-14)	584g	576mm

HOLES : 28H/32H/36H
JOINT : PINNED


A-350



SIZE	WEIGHT	ERD
700C(622-12)	585g	576mm
650C(571-12)	540g	526mm
24"x1(520-12)	489g	475mm
20"x1 1/8(451-12)	430g	405mm
20"(406-12)	380g	360mm

HOLES : 18H/20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW

A-340-S



SIZE	WEIGHT	ERD
700C(622-14)	616g	555mm
650C(571-14)	571g	504mm

HOLES : 24H/28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW

A-330



SIZE	WEIGHT	ERD
700C(622-14)	640g	576mm
650C(571-14)	585g	526mm
20"x1 1/8(451-14)	465g	405mm
20"(406-14)	410g	360mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

AP-410



SIZE	WEIGHT	ERD
700C(622-14)	810g	555mm

HOLES : 24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW


A-340



SIZE	WEIGHT	ERD
700C(622-14)	677g	551mm
650C(571-14)	629g	500mm

HOLES : 20H/24H/28H/32H/36H
JOINT : WELDED
OPTIONAL : GSW/CSW


A-T300



SIZE 700C(622-17) **WEIGHT** 601g **ERD** 577mm

HOLES : 28H/32H
JOINT : PINNED


A-310



SIZE 700C(622-13) **WEIGHT** 682g **ERD** 577mm

HOLES : 28H/32H/36H
JOINT : PINNED


A-280



SIZE 700C(622-15) **WEIGHT** 560g **ERD** 582mm

HOLES : 28H/32H/36H
JOINT : PINNED


A-260



SIZE 700C(622-13) **WEIGHT** 506g **ERD** 587mm

HOLES : 28H/32H/36H
JOINT : PINNED

A-240



SIZE 700C(622-15) **WEIGHT** 530g **ERD** 591mm
26"(559-15) **WEIGHT** 475g **ERD** 528mm


HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

A-220



SIZE 700C(622-15) **WEIGHT** 508g **ERD** 595mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS



RA-300



SIZE	WEIGHT	ERD
700C(622-13)	396g	599mm

HOLES : 32H
JOINT : SLEEVED
OPTIONAL : GSW/CSW/EYELETS

RA-600



SIZE	WEIGHT	ERD
700C(622-14)	412g	593mm
650C(571-14)	377g	542mm
20"x1 1/8(451-14)	299g	422mm
18"x1.0(400-14)	271g	371mm

HOLES : 20H/24H/28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW/EYELETS


RR-600



SIZE	WEIGHT	ERD
700C(622-14)	420g	594mm
650C(571-14)	390g	544mm

HOLES : 20H/24H/28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW/EYELETS


RR-300



SIZE	WEIGHT	ERD
700C(622-13)	400g	599mm
650C(571-13)	374g	548mm
20"x1 1/8(451-13)	291g	428mm
18"(355-13)	235g	332mm

HOLES : 20H/24H/28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW/EYELETS


RC-200



SIZE	WEIGHT	ERD
700C(622-14)	520g	600mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

A-M8



SIZE	WEIGHT	ERD
700C(622-14)	510g	602mm
650C(571-14)	475g	552mm
24"x1(520-14)	426g	501mm
20"x1 1/8(451-14)	370g	431mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS






BICYCLE RIM
FAT BIKE




SB-100



SIZE 26" (559-94)
WEIGHT 1170g
ERD 536mm

HOLES : 32H
JOINT : PINNED
OPTIONAL : EYELETS/REDUCE WEIGHT


SB-T80



SIZE 27.5" (584-75)
26" (559-75)
WEIGHT 910g
860g
ERD 564mm
539mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : EYELETS/REDUCE WEIGHT


SB-90



SIZE 26" (559-84)
WEIGHT 918g
ERD 535mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : EYELETS/REDUCE WEIGHT


SB-80



SIZE 26" (559-75)
24" (507-75)
20" (406-75)
WEIGHT 900g
880g
710g
ERD 536mm
484mm
383mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : EYELETS/REDUCE WEIGHT


SB-60



SIZE 24" (507-54)
20" (406-54)
WEIGHT 549g
476g
ERD 488mm
387mm

HOLES : 32H
JOINT : PINNED
OPTIONAL : REDUCE WEIGHT

MP-80



SIZE 26" (559-73)
WEIGHT 890g
ERD 535mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : EYELETS/REDUCE WEIGHT






BICYCLE RIM

DOWN HILL




DB-Z50



SIZE	WEIGHT	ERD
29"(622-45)	697g	603mm
27.5"(584-45)	652g	565mm
26"(559-45)	620g	540mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : EYELETS


DB-X50



SIZE	WEIGHT	ERD
29"(622-45)	764g	602mm
27.5"(584-45)	714g	564mm
26"(559-45)	676g	539mm

HOLES : 32H/36H
JOINT : PINNED


DB-X45



SIZE	WEIGHT	ERD
29"(622-40)	611g	606mm
27.5"(584-40)	570g	568mm
26"(559-40)	540g	543mm

HOLES : 32H/36H
JOINT : PINNED


DB-X40



SIZE	WEIGHT	ERD
29"(622-35)	607g	601mm
27.5"(584-35)	556g	563mm
26"(559-35)	543g	538mm

HOLES : 32H/36H
JOINT : PINNED

DB-X38



SIZE	WEIGHT	ERD
29"(622-38)	602g	606mm
27.5"(584-38)	566g	568mm
26"(559-38)	541g	543mm

HOLES : 32H/36H
JOINT : PINNED

DB-X30




SIZE	WEIGHT	ERD
29"(622-30)	520g	605mm
27.5"(584-30)	498g	567mm
24"(507-30)	439g	490mm
20"(406-30)	353g	389mm

HOLES : 32H/36H
JOINT : PINNED






DB-X21



SIZE	WEIGHT	ERD
29"(622-21)	495g	601mm
27.5"(584-21)	470g	563mm
26"(559-21)	446g	538mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS


DB-50



SIZE	WEIGHT	ERD
29"/700C(622-35)	866g	589mm
27.5"(584-35)	815g	551mm
26"(559-35)	795g	526mm
24"(507-35)	720g	474mm
20"(406-35)	585g	373mm

HOLES : 28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : EYELETS


DB-45



SIZE	WEIGHT	ERD
26"(559-38)	905g	534mm
24"(507-38)	830g	482mm
20"(406-38)	670g	380mm
19"(381-38)	630g	359mm

HOLES : 32H/36H/48H
JOINT : PINNED
OPTIONAL : EYELETS


DB-35



SIZE	WEIGHT	ERD
26"(559-30)	680g	526mm
24"(507-30)	620g	474mm

HOLES : 32H/36H/48H
JOINT : PINNED
OPTIONAL : EYELETS

DB-32




SIZE	WEIGHT	ERD
26"(559-26)	603g	533mm
24"(507-26)	540g	481mm
20"(406-26)	439g	380mm

HOLES : 28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS



DB-31



SIZE	WEIGHT	ERD
29"(622-19)	514g	594mm
27.5"(584-19)	484g	556mm
26"(559-19)	462g	531mm

HOLES : 24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-30




SIZE	WEIGHT	ERD
700C(622-24)	553g	600mm
27.5"(584-24)	516g	562mm
26"(559-24)	495g	537mm
24"(507-24)	449g	485mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS/DOUBLE EYELETS

DB-M3


NEW



SIZE	WEIGHT	ERD
700C(622-19)	552g	589mm
27.5"(584-19)	519g	551mm
26"(559-19)	496g	526mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-T280




SIZE	WEIGHT	ERD
700C(622-19)	572g	581mm

HOLES : 28H/32H
JOINT : PINNED
OPTIONAL : EYELETS

DB-S260


NEW



SIZE	WEIGHT	ERD
700C(622-21)	504g	585mm
27.5"(584-21)	475g	547mm

HOLES : 28H/32H/36H
JOINT : SLEEVED
OPTIONAL : EYELETS

DB-T260




SIZE	WEIGHT	ERD
700C(622-21)	556g	585mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-S240

NEW




SIZE	WEIGHT	ERD
700C(622-19)	471g	589mm
27.5"(584-19)	443g	551mm

HOLES : 28H/32H/36H
JOINT : SLEEVED
OPTIONAL : EYELETS



DB-28



SIZE	WEIGHT	ERD
29er/700C(622-19)	534g	601mm
27.5"(584-19)	500g	563mm
26"(559-19)	475g	538mm
24"(507-19)	434g	486mm
20"(406-19)	350g	385mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-25



SIZE	WEIGHT	ERD
700C(622-17)	513g	602mm
27.5"(584-17)	482g	564mm
26"(559-17)	462g	539mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS


DB-24



SIZE	WEIGHT	ERD
700C(622-17)	512g	599mm
26"(559-17)	455g	536mm
24"(507-17)	415g	484mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-22



SIZE	WEIGHT	ERD
700C(622-22)	584g	598mm
26"(559-22)	525g	536mm

HOLES : 28H/32H/36H
JOINT : PINNED





DB-21



SIZE	WEIGHT	ERD
29"(622-21)	529g	603mm
27.5"(584-21)	498g	565mm
26"(559-21)	476g	540mm

HOLES : 24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-19



SIZE	WEIGHT	ERD
700C(622-18)	500g	602mm
26"(559-18)	450g	539mm
24"(507-18)	408g	487mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS


DB-18



SIZE	WEIGHT	ERD
29er/700C(622-19)	475g	601mm
27.5"(584-19)	439g	563mm
26"(559-19)	425g	538mm
24"(507-19)	382g	486mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

DB-17



SIZE	WEIGHT	ERD
700C(622-18)	480g	602mm
26"(559-18)	430g	539mm

HOLES : 28H/32H/36H
JOINT : PINNED




BICYCLE RIM

ATB/MTB/TREKKING




AS-T35



SIZE	WEIGHT	ERD
29"(622-35)	571g	597mm
27.5"(584-35)	542g	559mm

HOLES : 32H
JOINT : SLEEVED

AS-T31



SIZE	WEIGHT	ERD
700C(622-31)	615g	587mm
27.5"(584-31)	597g	549mm
26"(559-31)	561g	524mm
24"(507-31)	500g	472mm

HOLES : 28H/32H/36H
JOINT : SLEEVED
OPTIONAL : EYELETS


AS-T30



SIZE	WEIGHT	ERD
29"(622-30)	529g	597mm
27.5"(584-30)	486g	559mm

HOLES : 32H
JOINT : SLEEVED


AS-35P



SIZE	WEIGHT	ERD
27.5"(584-35)	599g	559mm

HOLES : 32H
JOINT : PINNED


AS-30P



SIZE	WEIGHT	ERD
29"(622-30)	594g	597mm
27.5"(584-30)	540g	559mm

HOLES : 32H
JOINT : PINNED


AS-25P



SIZE	WEIGHT	ERD
29"/700C(622-25)	518g	601mm
27.5"(584-25)	492g	563mm
26"(559-25)	466g	538mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

A-325D



SIZE	WEIGHT	ERD
700C(622-19)	590g	579mm

HOLES : 28H/32H
JOINT : PINNED

A-320




SIZE	WEIGHT	ERD
700C(622-19)	650g	578mm
26"(559-19)	580g	515mm
24"(507-19)	530g	464mm
20"(406-19)	425g	362mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW



AS-210-S



SIZE 700C(622-20)
WEIGHT 429g
ERD 595mm

HOLES : 24H/28H/32H/36H
JOINT : SLEEVED


AS-210-P



SIZE 700C(622-20)
WEIGHT 482g
ERD 595mm

HOLES : 32H
JOINT : PINNED

AS-19



SIZE 29"(622-19)
27.5"(584-19)
WEIGHT 460g
431g
ERD 604mm
566mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : EYELETS

A-M7



SIZE 700C(622-20)
26"(559-20)
WEIGHT 680g
610g
ERD 586mm
524mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW

A-M6



SIZE 700C(622-16)
26"(559-16)
24"(507-16)
20"x1 1/8(451-16)
20"(406-16)
16"x1 3/8(349-16)
16"(305-16)
WEIGHT 530g
475g
430g
385g
345g
305g
301g
ERD 596mm
534mm
482mm
425mm
380mm
325mm
282mm

HOLES : 14H/20H/21H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW

A-M5




SIZE 700C(622-14)
24"x1 3/8(540-14)
20"x1 1/8(451-14)
WEIGHT 495g
422g
360g
ERD 594mm
512mm
421mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW






A-S300



SIZE	WEIGHT	ERD
29"/700C(622-19)	630g	579mm
27.5"(584-19)	600g	541mm
26"(559-19)	570g	516mm

HOLES : 28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW/EYELETS

A-300



SIZE	WEIGHT	ERD
700C(622-19)	733g	579mm
26"(559-19)	652g	516mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


A-S262



SIZE	WEIGHT	ERD
700C(622-17)	524g	585mm

HOLES : 24H/28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW

A-262



SIZE	WEIGHT	ERD
700C(622-17)	589g	585mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW


A-250



SIZE	WEIGHT	ERD
700C(622-18)	581g	583mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED

A-X240




SIZE	WEIGHT	ERD
700C(622-17)	554g	589mm

HOLES : 24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS



A-M4



SIZE	WEIGHT	ERD
29er/700C(622-19)	545g	596mm
26"(559-19)	495g	533mm
24"(507-19)	445g	481mm
20"(406-19)	360g	380mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

A-M3



SIZE	WEIGHT	ERD
700C(622-19)	585g	588mm
26"(559-19)	525g	526mm
24"(507-19)	475g	474mm
22"(457-19)	440g	424mm
20"(406-19)	385g	372mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW


A-M1



SIZE	WEIGHT	ERD
700C(622-19)	580g	597mm
26"(559-19)	525g	534mm
24"(507-19)	475g	482mm
20"(406-19)	380g	381mm
16"(305-19)	285g	280mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW

MT-96



SIZE	WEIGHT	ERD
700C(622-17)	515g	602mm
26"x1 3/8(590-17)	490g	571mm
26"(559-17)	465g	540mm
24"(507-17)	420g	488mm
20"x1 3/8(451-17)	374g	431mm
20"(406-17)	340g	386mm
18"(355-17)	300g	335mm
17"x1 1/4(369-17)	303g	350mm
16"x1 3/8(349-17)	295g	330mm
16"(305-17)	255g	286mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


MT-86



SIZE	WEIGHT	ERD
700C(622-16)	490g	600mm
26"(559-16)	440g	537mm
20"(406-16)	325g	384mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


MT-66



SIZE	WEIGHT	ERD
29er/700C(622-23)	650g	599mm
26"(559-23)	585g	536mm

HOLES : 32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


MT-46



SIZE	WEIGHT	ERD
28"(635-18)	537g	616mm
29er/700C(622-18)	520g	603mm
27.5"(584-18)	485g	565mm
26"(559-18)	465g	540mm
24"x1(520-18)	437g	501mm
24"(507-18)	425g	488mm
20"(406-18)	340g	387mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

MT-26




SIZE	WEIGHT	ERD
700C(622-18)	515g	608mm
26"(559-18)	465g	546mm
24"(507-18)	420g	494mm
20"(406-18)	335g	392mm

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS




MT-25



SIZE	WEIGHT	ERD
29"(622-20)	498g	606mm
27.5"(584-20)	468g	568mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


MT-S16



SIZE	WEIGHT	ERD
700C(622-17)	437g	603mm
27.5"(584-17)	415g	565mm
26"(559-17)	393g	540mm
24"(507-17)	358g	488mm
20"1 1/8(451-17)	288g	387mm

HOLES : 28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW/EYELETS


MT-21



SIZE	WEIGHT	ERD
26"(559-21)	482g	540mm
24"(507-21)	438g	488mm
20"x1 3/8(451-21)	390g	432mm
20"(406-21)	354g	387mm

HOLES : 28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


MT-20



SIZE	WEIGHT	ERD
700C(622-17)	520g	603mm
27.5"(584-17)	490g	565mm
26"(559-17)	465g	540mm
24"(507-17)	425g	488mm
20"(406-17)	340g	387mm

HOLES : 24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


MT-18



SIZE	WEIGHT	ERD
700C(622-18)	508g	602mm
27.5"(584-18)	478g	564mm
26"(559-18)	457g	539mm

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW

CT-46



SIZE	WEIGHT	ERD
28"(635-18)	494g	616mm
29er/700C(622-18)	487g	603mm
27.5"(584-18)	459g	565mm
26"(559-18)	438g	540mm
24"x1(520-18)	406g	501mm
24"(507-18)	399g	488mm
20"(406-18)	321g	387mm


HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS





BICYCLE RIM
BMX/FREESTYLE


BX-38



SIZE	WEIGHT	ERD
26" (559-32)	725g	544mm
24" (507-32)	660g	492mm
20" (406-32)	530g	390mm
16" (305-32)	405g	290mm

HOLES : 24H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


BX-36



SIZE	WEIGHT	ERD
20" (406-25)	690g	372mm

HOLES : 32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


BX-34



SIZE	WEIGHT	ERD
26" (559-28)	572g	544mm
20" (406-28)	417g	391mm

HOLES : 20H/28H/32H/36H/48H
JOINT : PINNED

BX-33




SIZE	WEIGHT	ERD
20" (406-25)	460g	391mm
16" (305-25)	345g	290mm

HOLES : 28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS




BX-32



SIZE	WEIGHT	ERD
700C(622-25)	588g	606mm
27.5"(584-25)	555g	569mm
26"(559-25)	530g	544mm
24"(507-25)	480g	492mm
20"(406-25)	385g	390mm
16"(305-25)	290g	290mm

HOLES : 28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


BX-28



SIZE	WEIGHT	ERD
26"(559-27)	664g	540mm
20"(406-27)	484g	387mm

HOLES : 28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

BX-26



SIZE	WEIGHT	ERD
20"(406-25)	485g	384mm


HOLES : 32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW





BX-S22


NEW



SIZE	WEIGHT	ERD
26"(559-22)	460g	539mm
24"(507-22)	419g	487mm
20"(406-22)	338g	386mm

HOLES : 28H/32H/36H
JOINT : SLEEVED
OPTIONAL : GSW/CSW/EYELETS

BX-20



SIZE	WEIGHT	ERD
26"(559-24)	530g	544mm
24"(507-24)	480g	492mm
20"(406-24)	385g	390mm
16"(305-24)	290g	290mm

HOLES : 20H/28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS


BX-16



SIZE	WEIGHT	ERD
20"(406-24)	445g	385mm

HOLES : 28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

BX-15



SIZE	WEIGHT	ERD
20"(406-26)	450g	384mm

HOLES : 28H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW

BX-14



SIZE	WEIGHT	ERD
24"(507-25)	462g	492mm
22"(457-25)	417g	442mm
20"(406-25)	370g	390mm
16"(305-25)	280g	290mm

HOLES : 20H/28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS





BICYCLE RIM
SINGLE WALL


MP-50



SIZE
700C(622-45)
27.5"(584-45)
26"(559-45)
24"(507-45)

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : GSW

MP-32



SIZE
26"(559-26)
24"(507-26)

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : GSW

MP-22



SIZE
26"(559-23)
24"(507-23)

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : GSW

EMP-50




SIZE
20"(406-45)
16"(305-45)

HOLES : 28H/32H/36H
JOINT : PINNED



A-5N



SIZE

26"x1 3/8(590-21)	18"(355-21)
26"(559-21)	16"(305-21)
24"(507-21)	14"(254-21)
22"(457-21)	12"(203-21)
20"(406-21)	

HOLES : 20H/24H/28H/36H
JOINT : PINNED
OPTIONAL : GSW

A-6N



SIZE

26"(559-21)	18"(355-21)
24"(507-21)	16"(305-21)
22"(457-21)	14"(254-21)
20"(406-21)	12"(203-21)

HOLES : 20H/24H/28H/36H
JOINT : PINNED
OPTIONAL : GSW

A-7N



SIZE

700C(622-20)
26"(559-20)

HOLES : 32H/36H
JOINT : PINNED
OPTIONAL : GSW

A-8V



SIZE

700C(622-16)
26"(559-16)
24"(507-16)
20"(406-16)

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW





A-7X



SIZE
26" (559-26) 18" (355-26)
24" (507-26) 16" (305-26)
22" (457-26)
20" (406-26)

HOLES : 20H/24H/28H/32H/36H/48H
JOINT : PINNED
OPTIONAL : GSW/EYELETS/DIMPLE

A-5X



SIZE
700C (622-19) 18" (355-19)
26" (559-19) 16" (305-19)
24" (507-19)
20" (406-19)

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/CSW/EYELETS

A-35X



SIZE
24" (507-35)
20" (406-35)

HOLES : 32H/36H/48H
JOINT : PINNED
OPTIONAL : EYELETS

LP-60



SIZE
27"x1 1/4 (630-20) 20"x1 3/8 (451-20)
26"x1 3/8 (590-20) 18"x1 3/8 (400-20)
24"x1 3/8 (540-20)
22"x1 3/8 (501-20)

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW

LP-50



SIZE
27"x1 1/4 (630-19) 20"x1 3/8 (451-19)
26"x1 3/8 (590-19) 18"x1 3/8 (400-19)
24"x1 3/8 (540-19) 12" (203-19)
22"x1 3/8 (501-19)

HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/EYELETS

LP-40



SIZE
27"x1 1/4 (630-15) 20"x1 3/8 (451-15)
26"x1 3/8 (590-15) 18"x1 3/8 (400-15)
24"x1 3/8 (540-15)
22"x1 3/8 (501-15)


HOLES : 20H/24H/28H/32H/36H
JOINT : PINNED
OPTIONAL : GSW/EYELETS



BICYCLE RIM

STEEL RIM

7A



SIZE


26"x1.75-2.125 16"x1.75-2.125
24"x1.75-2.125 14"x1.75-2.125
20"x1.75-2.125 12"x1.75-2.125
18"x1.75-2.125

HOLES : 16H/20H/28H/32H/36H

FINISH : BK/CP/ED or Painted Colors

GAUGES : 12G/14G

7X



SIZE

28"x1.75-2.125 18"x1.75-2.125
26"x1.75-2.125 16"x1.75-2.125
24"x1.75-2.125
20"x1.75-2.125

HOLES : 16H/20H/28H/32H/36H

FINISH : BK/CP/ED or Painted Colors

GAUGES : 12G/14G

OPTIONAL : Dimpled or Non-Dimple Holes

SPOKES



MATERIAL : Steel

COLOR : UCP/ED Black/CP

TYPE : Standard

GAUGES : 9G/10G/11G

NIPPLES




MATERIAL : Steel, Brass

COLOR : UCP/CP

TYPE : Standard




DIMPLE
HOLE



MOTORCYCLE RIM
STEEL/ALLOY


STEEL RIM



SIZE
14"x1.2 17"x1.4 14"x1.6 17"x1.85
16"x1.2 18"x1.4 16"x1.6 18"x1.85
17"x1.2 19"x1.4 17"x1.6 19"x1.85
19"x1.2 21"x1.4 18"x1.6
19"x1.6
21"x1.6

FINISH : CP


YL ALLOY RIM



SIZE
17"x1.6
18"x1.6
19"x1.6
21"x1.6

FINISH : Silver/Gold/Black/
Dark Blue/Red/Green/
Light Blue Anodized/
High Polish/Sand-Blasting

TL ALLOY RIM



SIZE
17"x2.50
18"x2.50
19"x2.50

FINISH : Silver/Gold/Black/
Dark Blue/Red/Green/
Light Blue Anodized/
High Polish/Sand-Blasting

U ALLOY RIM



SIZE
16"x1.6 16"x1.85
17"x1.6 17"x1.85
18"x1.6 18"x1.85
19"x1.6 19"x1.85
21"x1.6 21"x1.85

FINISH : Silver/Gold/Black/
Dark Blue/Red/Green/
Light Blue Anodized/
High Polish/Sand-Blasting

WM ALLOY RIM



SIZE
16"x1.2 10"x1.4 14"x1.5 10"x1.6 14"x1.85 12"x2.15 12"x2.5 14"x3.0
17"x1.2 12"x1.4 16"x1.5 12"x1.6 16"x1.85 14"x2.15 14"x2.5 16"x3.0
14"x1.4 17"x1.5 14"x1.6 17"x1.85 16"x2.15 16"x2.5 17"x3.0
16"x1.4 19"x1.5 16"x1.6 18"x1.85 17"x2.15 17"x2.5 18"x3.0
17"x1.4 17"x1.6 19"x1.85 18"x2.15 18"x2.5
18"x1.4 18"x1.6 21"x1.85 19"x2.15 19"x2.5
19"x1.4 19"x1.6 21"x2.15 21"x2.5
21"x1.4 21"x1.6

FINISH : Silver/Gold/Black/Dark Blue/Red/Green/Light Blue Anodized/
High Polish/Sand-Blasting


H ALLOY RIM



SIZE
14"x1.6 16"x1.85 17"x2.15 17"x2.5 17"x3.0
16"x1.6 17"x1.85 18"x2.15 18"x2.5 18"x3.0
17"x1.6 18"x1.85 19"x2.15 19"x2.5
19"x1.6 19"x1.85 21"x2.15 21"x2.5
21"x1.85

FINISH : Silver/Gold/Black/Dark Blue/Red/Green/
Light Blue Anodized/High Polish/
Sand-Blasting

MT ALLOY RIM



SIZE
16"xMT2.15 16"xMT2.5 16"xMT3.0 17"xMT4.25
17"xMT2.15 17"xMT2.5 17"xMT3.0 18"xMT4.25
18"xMT2.15 18"xMT2.5 18"xMT3.0 17"xMT5.0
19"xMT2.15 19"xMT2.5 14"xMT3.5 18"xMT5.0
21"xMT2.15 21"xMT2.5 16"xMT3.5
17"xMT3.5
18"xMT3.5

FINISH : Silver/Gold/Black/Dark Blue/Red/Green/
Light Blue Anodized/High Polish/
Sand-Blasting



www.shining-cycle.com