



***SHINING  
RIMS***  
ADVANCED TECH & QUALITY

**2026**

PRODUCT SPECIFICATION GUIDE





**ROAD RACING**

A-600  
A-360  
A-T300  
A-240

05

**A-350DB**

A-350  
A-330  
A-220  
RA-300  
RA-600

06

RR-600  
RR-300  
RC-200  
A-M8

07

**FAT BIKE**

SB-100  
SB-T80  
SB-90  
SB-80  
SB-60  
MP-80

08



## DOWNHILL

DB-X50  
DB-X40  
DB-45  
DB-35

09

DB-X30  
DB-X25  
DB-X21  
DB-50  
DB-32  
DB-31  
DB-30

10

**DB-M3**

DB-T280  
DB-T260  
**DB-T250**  
**DB-S240**  
DB-25  
DB-24  
DB-22  
**DB-Z21**

11

**DB-S300**  
**DB-S260**  
**DB-300**  
DB-28  
DB-21  
DB-19  
DB-18  
DB-17

12

## ATB/MTB/TREKKING

AS-T35  
AS-T31  
A-325D  
A-320

13

AS-T30  
AS-35P  
AS-30P  
AS-25P  
AS-210-S  
AS-210-P  
AS-19  
A-M6

14

A-M5  
A-S300  
A-300  
A-S262  
A-M3  
A-M1  
MT-96  
MT-86

15

A-262  
A-250  
A-X240  
A-M4  
MT-66  
MT-46  
MT-26  
MT-25

16

MT-S16  
MT-21  
MT-20  
MT-18  
CT-46

17

## BMX FREESTYLE

BX-38  
BX-36  
BX-34  
BX-33  
BX-32  
BX-28  
**BX-S22**  
BX-20

18

BX-16  
BX-14

19

## SINGLE WALL

MP-50  
MP-32  
A-7N  
A-8V

19

MP-22  
EMP-50  
A-5N  
A-6N  
A-7X  
A-5X  
A-35X  
LP-60

20

LP-50  
LP-40

21

## STEEL RIM

7A  
7X

21

## MOTOR RIM


STEEL RIM  
YL  
TL  
U  
**TMT**  
WM  
H  
MT

22

## ABOUT

---

SHINING CYCLE, Taiwan manufacturer of Bicycle rims, Motorcycle rims and Bike components established in 1972. With more than 40 years of experience, SHINING CYCLE has become one of the biggest rim manufacturer in Taiwan and more than 500 staffs at the two principal sites in Taiwan and Vietnam, which provide more than 1000 million pairs of rims for the world bicycle riders per year. SHINING CYCLE always uses advanced technology and equipment to keep products ahead of the market and could perform its best to those bicycle lovers. As we design rims, we build rims, we test rims, we ride on our rims, then we love our rims, thus we know what riders need and even more. We, at SHINING CYCLE, are aiming to bring joy and create excitement to the world cyclists. When you are riding on SHINING rims, the wind touches the skin, you will experience the power of SHINING rims and enjoy the nature environment around you. So, make your rims SHINING today!







## CONTACT

---

### 享勵工業股份有限公司 (台灣)

71041 台南市 永康區 環工路7號

<http://www.shining-cycle.com> | Email: [slcycle@shining-cycle.com](mailto:slcycle@shining-cycle.com)

### SHEANG LIH CYCLE INDUSTRY CO., LTD.

Postal# 71041, No.7, Hwan Gong Rd., Yung Kang Dist., Tainan City, Taiwan

Tel : +886-6-2042077-8 | Fax : +886-6-2337514

### SHEANG LIH CYCLE (VIETNAM) ENT. LTD.

Postal# 820000, No.21, DT743 Street, Lot N, Song Than 2 Industrial Zone,  
Tan Dong Hiep Ward, Di An City, Binh Duong Province, Vietnam

Tel : +84-274-3730188 | Fax : +84-274-3730218



ISO 14001:2015 Cert. No.:717239





## BICYCLE RIM ROAD RACING


### A-600



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-13) | 665g   | 573mm |
| 650C(571-13) | 615g   | 522mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** SLEEVED  
**OPTIONAL :** GSW/CSW


### A-360



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-14) | 527g   | 584mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** SLEEVED  
**OPTIONAL :** GSW/CSW


### A-T300



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-17) | 601g   | 577mm |

**HOLES :** 28H/32H  
**JOINT :** PINNED

### A-240



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-15) | 530g   | 591mm |
| 26"(559-15)  | 475g   | 527mm |

**HOLES :** 28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** EYELETS



PINNED  
JOINT



SLEEVED  
JOINT



GROUND  
SIDEWALL



CNC  
SIDEWALL



SINGLE  
EYELET



SAFETY  
LINE



TUBELESS  
READY




### A-350DB



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-14) | 584g   | 576mm |

**HOLES :** 28H/32H/36H  
**JOINT :** PINNED


### A-350



| SIZE              | WEIGHT | ERD   |
|-------------------|--------|-------|
| 700C(622-12)      | 585g   | 577mm |
| 650C(571-12)      | 540g   | 525mm |
| 24"x1(520-12)     | 489g   | 474mm |
| 20"x1 1/8(451-12) | 430g   | 405mm |
| 20"(406-12)       | 380g   | 360mm |

**HOLES :** 18H/20H/24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW


### A-330



| SIZE              | WEIGHT | ERD   |
|-------------------|--------|-------|
| 700C(622-14)      | 640g   | 577mm |
| 650C(571-14)      | 585g   | 525mm |
| 20"x1 1/8(451-14) | 465g   | 405mm |
| 20"(406-14)       | 410g   | 360mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

### A-220



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-15) | 480g   | 595mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

### RA-300



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-13) | 396g   | 599mm |


**HOLES :** 32H  
**JOINT :** SLEEVED  
**OPTIONAL :** GSW/CSW/EYELETS

### RA-600



| SIZE              | WEIGHT | ERD   |
|-------------------|--------|-------|
| 700C(622-14)      | 412g   | 594mm |
| 650C(571-14)      | 377g   | 542mm |
| 20"x1 1/8(451-14) | 299g   | 422mm |
| 18"x1.0(400-14)   | 271g   | 371mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** SLEEVED  
**OPTIONAL :** GSW/CSW/EYELETS






## RR-600



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-14) | 420g   | 594mm |
| 650C(571-14) | 390g   | 544mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** SLEEVED  
**OPTIONAL :** GSW/CSW/EYELETS

## RR-300



| SIZE              | WEIGHT | ERD   |
|-------------------|--------|-------|
| 700C(622-13)      | 400g   | 599mm |
| 650C(571-13)      | 374g   | 548mm |
| 20"x1 1/8(451-13) | 291g   | 428mm |
| 18"(355-13)       | 235g   | 332mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** SLEEVED  
**OPTIONAL :** GSW/CSW/EYELETS

## RC-200



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-14) | 520g   | 600mm |

**HOLES :** 32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

## A-M8



| SIZE              | WEIGHT | ERD   |
|-------------------|--------|-------|
| 700C(622-14)      | 510g   | 602mm |
| 650C(571-14)      | 475g   | 551mm |
| 24"x1(520-14)     | 426g   | 500mm |
| 20"x1 1/8(451-14) | 370g   | 431mm |


**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS





BICYCLE RIM  
FAT BIKE


SB-100



**SIZE** 26"(559-94)  
**WEIGHT** 1170g  
**ERD** 536mm

**HOLES** : 32H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS/REDUCE WEIGHT


SB-T80



**SIZE** 27.5"(584-75)  
26"(559-75)  
**WEIGHT** 910g  
860g  
**ERD** 564mm  
539mm

**HOLES** : 32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS/REDUCE WEIGHT

SB-90



**SIZE** 26"(559-84)  
**WEIGHT** 918g  
**ERD** 534mm

**HOLES** : 32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS/REDUCE WEIGHT


SB-80



**SIZE** 26"(559-75)  
24"(507-75)  
20"(406-75)  
**WEIGHT** 900g  
880g  
710g  
**ERD** 536mm  
484mm  
383mm

**HOLES** : 32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS/REDUCE WEIGHT


SB-60



**SIZE** 24"(507-54)  
20"(406-54)  
**WEIGHT** 549g  
476g  
**ERD** 488mm  
386mm

**HOLES** : 32H  
**JOINT** : PINNED  
**OPTIONAL** : REDUCE WEIGHT

MP-80



**SIZE** 26"(559-73)  
**WEIGHT** 890g  
**ERD** 536mm

**HOLES** : 32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS/REDUCE WEIGHT

## BICYCLE RIM DOWN HILL

### DB-X50



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 29"(622-45)   | 764g   | 601mm |
| 27.5"(584-45) | 714g   | 563mm |
| 26"(559-45)   | 676g   | 538mm |

**HOLES :** 32H/36H  
**JOINT :** PINNED


### DB-X40



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 29"(622-35)   | 607g   | 601mm |
| 27.5"(584-35) | 556g   | 563mm |
| 26"(559-35)   | 543g   | 538mm |

**HOLES :** 32H/36H  
**JOINT :** PINNED

### DB-45



| SIZE        | WEIGHT | ERD   |
|-------------|--------|-------|
| 26"(559-38) | 905g   | 534mm |
| 24"(507-38) | 830g   | 482mm |
| 20"(406-38) | 670g   | 380mm |
| 19"(381-38) | 630g   | 359mm |

**HOLES :** 32H/36H/48H  
**JOINT :** PINNED  
**OPTIONAL :** EYELETS

### DB-35




| SIZE             | WEIGHT | ERD   |
|------------------|--------|-------|
| 32"(686-30)      | 830g   | 653mm |
| 29"/700C(622-30) | 760g   | 589mm |
| 27.5"(584-30)    | 775g   | 551mm |
| 26"(559-30)      | 680g   | 525mm |
| 24"(507-30)      | 620g   | 474mm |

**HOLES :** 32H/36H/48H  
**JOINT :** PINNED  
**OPTIONAL :** EYELETS




### DB-X30



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 29"(622-30)   | 578g   | 602mm |
| 27.5"(584-30) | 544g   | 564mm |
| 24"(507-30)   | 473g   | 487mm |
| 20"(406-30)   | 381g   | 385mm |

**HOLES :** 32H/36H  
**JOINT :** PINNED

### DB-X25



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 29"(622-25)   | 558g   | 601mm |
| 27.5"(584-25) | 525g   | 563mm |
| 26"(559-25)   | 501g   | 539mm |
| 20"(406-25)   | 367g   | 385mm |

**HOLES :** 28H/32H/36H  
**JOINT :** PINNED


### DB-X21



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 29"(622-21)   | 495g   | 601mm |
| 27.5"(584-21) | 470g   | 563mm |
| 26"(559-21)   | 446g   | 538mm |

**HOLES :** 28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** EYELETS


### DB-50



| SIZE             | WEIGHT | ERD   |
|------------------|--------|-------|
| 29"/700C(622-35) | 866g   | 589mm |
| 27.5"(584-35)    | 815g   | 551mm |
| 26"(559-35)      | 795g   | 526mm |
| 24"(507-35)      | 720g   | 474mm |
| 20"(406-35)      | 585g   | 373mm |

**HOLES :** 28H/32H/36H/48H  
**JOINT :** PINNED  
**OPTIONAL :** EYELETS

### DB-32



| SIZE        | WEIGHT | ERD   |
|-------------|--------|-------|
| 26"(559-26) | 603g   | 533mm |
| 24"(507-26) | 540g   | 481mm |
| 20"(406-26) | 439g   | 379mm |

**HOLES :** 28H/32H/36H/48H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

### DB-31



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 29"(622-19)   | 514g   | 594mm |
| 27.5"(584-19) | 484g   | 556mm |
| 26"(559-19)   | 462g   | 530mm |

**HOLES :** 24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** EYELETS

### DB-30



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 700C(622-24)  | 570g   | 601mm |
| 27.5"(584-24) | 540g   | 563mm |
| 26"(559-24)   | 513g   | 538mm |
| 24"(507-24)   | 465g   | 486mm |
| 20"(406-24)   | 376g   | 384mm |

**HOLES :** 28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** EYELETS

### DB-M3



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 700C(622-19)  | 554g   | 589mm |
| 27.5"(584-19) | 526g   | 550mm |
| 26"(559-19)   | 498g   | 525mm |

**HOLES :** 28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** EYELETS




## DB-T280



**SIZE** 700C(622-19)  
**WEIGHT** 572g  
**ERD** 581mm

**HOLES** : 28H/32H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS

## DB-T260




**SIZE** 700C(622-21)  
**WEIGHT** 556g  
**ERD** 585mm

**HOLES** : 28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS

## DB-T250


**NEW**



**SIZE** 700C(622-25)  
27.5"(584-25)  
**WEIGHT** 578g  
544g  
**ERD** 587mm  
549mm

**HOLES** : 28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS

## DB-S240



**SIZE** 700C(622-19)  
27.5"(584-19)  
**WEIGHT** 471g  
443g  
**ERD** 589mm  
551mm

**HOLES** : 28H/32H/36H  
**JOINT** : SLEEVED  
**OPTIONAL** : EYELETS


## DB-25



**SIZE** 700C(622-17)  
27.5"(584-17)  
26"(559-17)  
24"(507-17)  
20"(406-17)  
**WEIGHT** 513g  
482g  
462g  
430g  
345g  
**ERD** 601mm  
563mm  
538mm  
486mm  
385mm

**HOLES** : 28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS

## DB-24



**SIZE** 700C(622-17)  
26"(559-17)  
24"(507-17)  
**WEIGHT** 512g  
455g  
415g  
**ERD** 599mm  
535mm  
484mm

**HOLES** : 32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS

## DB-22



**SIZE** 700C(622-22)  
26"(559-22)  
**WEIGHT** 584g  
525g  
**ERD** 598mm  
536mm

**HOLES** : 28H/32H/36H  
**JOINT** : PINNED

## DB-Z21

**NEW**



**SIZE** 29"/700C(622-21)  
26"(559-21)  
24"(507-21)  
20"(406-21)  
**WEIGHT** 414g  
372g  
339g  
273g  
**ERD** 600mm  
536mm  
485mm  
383mm

**HOLES** : 28H/32H/36H  
**JOINT** : SLEEVED

### DB-S300


**NEW**



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 700C(622-25)  | 596g   | 578mm |
| 27.5"(584-25) | 562g   | 540mm |

**HOLES** : 28H/32H/36H  
**JOINT** : SLEEVED  
**OPTIONAL** : EYELETS

### DB-S260



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 700C(622-21)  | 504g   | 585mm |
| 27.5"(584-21) | 475g   | 547mm |

**HOLES** : 28H/32H/36H  
**JOINT** : SLEEVED  
**OPTIONAL** : EYELETS

### DB-300

**NEW**



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 700C(622-25)  | 691g   | 580mm |
| 27.5"(584-25) | 650g   | 541mm |
| 26"(559-25)   | 622g   | 516mm |

**HOLES** : 24H/28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS

### DB-28



| SIZE             | WEIGHT | ERD   |
|------------------|--------|-------|
| 29"/700C(622-19) | 534g   | 601mm |
| 27.5"(584-19)    | 500g   | 563mm |
| 26"(559-19)      | 475g   | 537mm |
| 24"(507-19)      | 434g   | 486mm |
| 20"(406-19)      | 350g   | 384mm |

**HOLES** : 28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS

### DB-21



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 29"(622-21)   | 529g   | 603mm |
| 27.5"(584-21) | 498g   | 564mm |
| 26"(559-21)   | 476g   | 539mm |

**HOLES** : 24H/28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS

### DB-19



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-18) | 500g   | 602mm |
| 26"(559-18)  | 450g   | 539mm |
| 24"(507-18)  | 408g   | 487mm |

**HOLES** : 28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS

### DB-18



| SIZE             | WEIGHT | ERD   |
|------------------|--------|-------|
| 29"/700C(622-18) | 475g   | 601mm |
| 27.5"(584-19)    | 439g   | 564mm |
| 26"(559-19)      | 425g   | 538mm |
| 24"(507-19)      | 382g   | 486mm |

**HOLES** : 28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS

### DB-17




| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-18) | 480g   | 602mm |
| 26"(559-18)  | 430g   | 539mm |

**HOLES** : 28H/32H/36H  
**JOINT** : PINNED



## BICYCLE RIM ATB/MTB/TREKKING


### AS-T35



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 29"(622-35)   | 571g   | 597mm |
| 27.5"(584-35) | 542g   | 559mm |

**HOLES :** 32H  
**JOINT :** SLEEVED

### AS-T31



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 700C(622-31)  | 615g   | 587mm |
| 27.5"(584-31) | 597g   | 549mm |
| 26"(559-31)   | 561g   | 524mm |
| 24"(507-31)   | 500g   | 472mm |

**HOLES :** 28H/32H/36H  
**JOINT :** SLEEVED  
**OPTIONAL :** EYELETS

### A-325D



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-19) | 590g   | 579mm |

**HOLES :** 28H/32H  
**JOINT :** PINNED

### A-320



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-19) | 650g   | 579mm |
| 26"(559-19)  | 580g   | 515mm |
| 24"(507-19)  | 530g   | 464mm |
| 20"(406-19)  | 425g   | 362mm |

**HOLES :** 28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW



PINNED  
JOINT



SLEEVED  
JOINT



ASYMMETRIC  
RIM



SINGLE  
EYELET



SAFETY  
LINE



TUBELESS  
READY



FOR E-BIKE  
USE




### AS-T30



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 29"(622-30)   | 529g   | 597mm |
| 27.5"(584-30) | 486g   | 559mm |

**HOLES** : 32H  
**JOINT** : SLEEVED

### AS-35P



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 27.5"(584-35) | 599g   | 559mm |

**HOLES** : 32H  
**JOINT** : PINNED


### AS-30P



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 29"(622-30)   | 594g   | 597mm |
| 27.5"(584-30) | 540g   | 559mm |

**HOLES** : 32H  
**JOINT** : PINNED

### AS-25P



| SIZE             | WEIGHT | ERD   |
|------------------|--------|-------|
| 29"/700C(622-25) | 518g   | 601mm |
| 27.5"(584-25)    | 492g   | 563mm |
| 26"(559-25)      | 466g   | 538mm |

**HOLES** : 28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS

### AS-210-S



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-20) | 429g   | 595mm |

**HOLES** : 24H/28H/32H/36H  
**JOINT** : SLEEVED

### AS-210-P



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-20) | 482g   | 595mm |

**HOLES** : 32H  
**JOINT** : PINNED

### AS-19



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 29"(622-19)   | 460g   | 604mm |
| 27.5"(584-19) | 431g   | 566mm |

**HOLES** : 28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS

### A-M6



| SIZE              | WEIGHT | ERD   |
|-------------------|--------|-------|
| 700C(622-16)      | 530g   | 598mm |
| 26"(559-16)       | 475g   | 534mm |
| 24"(507-16)       | 430g   | 483mm |
| 20"x1 1/8(451-16) | 385g   | 426mm |
| 20"(406-16)       | 345g   | 381mm |
| 16"x1 3/8(349-16) | 305g   | 325mm |
| 16"(305-16)       | 269g   | 280mm |

**HOLES** : 14H/20H/21H/24H/28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : GSW/CSW



## A-M5



| SIZE              | WEIGHT | ERD   |
|-------------------|--------|-------|
| 700C(622-14)      | 495g   | 595mm |
| 24"x1 3/8(540-14) | 422g   | 512mm |
| 20"x1 1/8(451-14) | 360g   | 423mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW

## A-S300



| SIZE             | WEIGHT | ERD   |
|------------------|--------|-------|
| 29"/700C(622-19) | 630g   | 579mm |
| 27.5"(584-19)    | 600g   | 540mm |
| 26"(559-19)      | 570g   | 515mm |

**HOLES :** 28H/32H/36H  
**JOINT :** SLEEVED  
**OPTIONAL :** GSW/CSW/EYELETS

## A-300



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-19) | 733g   | 579mm |
| 26"(559-19)  | 652g   | 515mm |

**HOLES :** 28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

## A-S262



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-17) | 524g   | 585mm |

**HOLES :** 24H/28H/32H/36H  
**JOINT :** SLEEVED  
**OPTIONAL :** GSW/CSW

## A-M3



| SIZE              | WEIGHT | ERD   |
|-------------------|--------|-------|
| 700C(622-19)      | 585g   | 589mm |
| 26"x1 3/8(559-19) | 525g   | 525mm |
| 24"(507-19)       | 475g   | 474mm |
| 22"(457-19)       | 440g   | 424mm |
| 20"(406-19)       | 385g   | 372mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW

## A-M1



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-19) | 580g   | 597mm |
| 26"(559-19)  | 525g   | 534mm |
| 24"(507-19)  | 475g   | 482mm |
| 20"(406-19)  | 380g   | 380mm |
| 16"(305-19)  | 285g   | 280mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW

## MT-96



| SIZE              | WEIGHT | ERD   |
|-------------------|--------|-------|
| 700C(622-17)      | 515g   | 603mm |
| 26"x1 3/8(590-17) | 490g   | 570mm |
| 26"(559-17)       | 465g   | 539mm |
| 24"(507-17)       | 420g   | 488mm |
| 20"x1 3/8(451-17) | 374g   | 431mm |
| 20"(406-17)       | 340g   | 386mm |
| 18"(355-17)       | 300g   | 335mm |
| 17"x1 1/4(369-17) | 303g   | 349mm |
| 16"x1 3/8(349-17) | 295g   | 329mm |
| 16"(305-17)       | 255g   | 285mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

## MT-86



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-16) | 490g   | 601mm |
| 26"(559-16)  | 440g   | 537mm |
| 20"(406-16)  | 325g   | 384mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS


### A-262



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-17) | 589g   | 585mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW


### A-250



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 700C(622-18)  | 581g   | 583mm |
| 27.5"(584-18) | 555g   | 545mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** PINNED


### A-X240



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-17) | 554g   | 589mm |

**HOLES :** 24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

### A-M4



| SIZE             | WEIGHT | ERD   |
|------------------|--------|-------|
| 29"/700C(622-19) | 545g   | 596mm |
| 26"(559-19)      | 495g   | 533mm |
| 24"(507-19)      | 445g   | 481mm |
| 20"(406-19)      | 360g   | 380mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS


### MT-66



| SIZE             | WEIGHT | ERD   |
|------------------|--------|-------|
| 29"/700C(622-23) | 650g   | 599mm |
| 26"(559-23)      | 585g   | 535mm |

**HOLES :** 32H/36H/48H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS


### MT-46



| SIZE             | WEIGHT | ERD   |
|------------------|--------|-------|
| 28"(635-18)      | 537g   | 615mm |
| 29"/700C(622-18) | 520g   | 603mm |
| 27.5"(584-18)    | 485g   | 564mm |
| 26"(559-18)      | 465g   | 539mm |
| 24"x1(520-18)    | 437g   | 500mm |
| 24"(507-18)      | 425g   | 488mm |
| 20"(406-18)      | 340g   | 386mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS


### MT-26



| SIZE         | WEIGHT | ERD   |
|--------------|--------|-------|
| 700C(622-18) | 515g   | 606mm |
| 26"(559-18)  | 465g   | 542mm |
| 24"(507-18)  | 420g   | 491mm |
| 20"(406-18)  | 335g   | 389mm |

**HOLES :** 20H/24H/28H/32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

### MT-25



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 29"(622-20)   | 498g   | 605mm |
| 27.5"(584-20) | 468g   | 567mm |

**HOLES :** 32H/36H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS



## MT-S16



| SIZE             | WEIGHT | ERD   |
|------------------|--------|-------|
| 700C(622-17)     | 437g   | 603mm |
| 27.5"(584-17)    | 415g   | 564mm |
| 26"(559-17)      | 393g   | 539mm |
| 24"(507-17)      | 358g   | 488mm |
| 20"1 1/8(451-17) | 288g   | 431mm |

**HOLES :** 28H/32H/36H

**JOINT :** SLEEVED

**OPTIONAL :** GSW/CSW/EYELETS

## MT-21



| SIZE              | WEIGHT | ERD   |
|-------------------|--------|-------|
| 26"(559-21)       | 482g   | 539mm |
| 24"(507-21)       | 438g   | 488mm |
| 20"x1 3/8(451-21) | 390g   | 431mm |
| 20"(406-21)       | 354g   | 386mm |

**HOLES :** 28H/32H/36H

**JOINT :** PINNED

**OPTIONAL :** GSW/CSW/EYELETS

## MT-20



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 700C(622-17)  | 520g   | 603mm |
| 27.5"(584-17) | 490g   | 564mm |
| 26"(559-17)   | 465g   | 539mm |
| 24"(507-17)   | 425g   | 488mm |
| 20"(406-17)   | 340g   | 386mm |

**HOLES :** 24H/28H/32H/36H

**JOINT :** PINNED

**OPTIONAL :** GSW/CSW/EYELETS

## MT-18



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 700C(622-18)  | 508g   | 602mm |
| 27.5"(584-18) | 478g   | 564mm |
| 26"(559-18)   | 457g   | 539mm |

**HOLES :** 32H/36H

**JOINT :** PINNED

**OPTIONAL :** GSW/CSW

## CT-46



| SIZE             | WEIGHT | ERD   |
|------------------|--------|-------|
| 28"(635-18)      | 494g   | 616mm |
| 29"/700C(622-18) | 487g   | 603mm |
| 27.5"(584-18)    | 459g   | 564mm |
| 26"(559-18)      | 438g   | 539mm |
| 24"x1(520-18)    | 406g   | 500mm |
| 24"(507-18)      | 399g   | 488mm |
| 20"(406-18)      | 321g   | 386mm |

**HOLES :** 20H/24H/28H/32H/36H

**JOINT :** PINNED

**OPTIONAL :** GSW/CSW/EYELETS



### BX-38



| SIZE        | WEIGHT | ERD   |
|-------------|--------|-------|
| 26"(559-32) | 725g   | 542mm |
| 24"(507-32) | 660g   | 491mm |
| 20"(406-32) | 530g   | 389mm |
| 16"(305-32) | 405g   | 288mm |

**HOLES :** 24H/32H/36H/48H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

### BX-36



| SIZE        | WEIGHT | ERD   |
|-------------|--------|-------|
| 20"(406-25) | 690g   | 371mm |

**HOLES :** 32H/36H/48H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

### BX-34



| SIZE        | WEIGHT | ERD   |
|-------------|--------|-------|
| 26"(559-28) | 572g   | 544mm |
| 20"(406-28) | 417g   | 391mm |

**HOLES :** 20H/28H/32H/36H/48H  
**JOINT :** PINNED

### BX-33



| SIZE        | WEIGHT | ERD   |
|-------------|--------|-------|
| 20"(406-25) | 460g   | 390mm |

**HOLES :** 28H/32H/36H/48H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

### BX-32



| SIZE          | WEIGHT | ERD   |
|---------------|--------|-------|
| 700C(622-24)  | 588g   | 606mm |
| 27.5"(584-24) | 555g   | 568mm |
| 26"(559-24)   | 530g   | 543mm |
| 24"(507-24)   | 480g   | 491mm |
| 20"(406-24)   | 385g   | 389mm |
| 16"(305-24)   | 290g   | 289mm |

**HOLES :** 28H/32H/36H/48H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

### BX-28



| SIZE        | WEIGHT | ERD   |
|-------------|--------|-------|
| 26"(559-27) | 664g   | 540mm |
| 20"(406-27) | 484g   | 386mm |

**HOLES :** 28H/32H/36H/48H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

### BX-S22



| SIZE        | WEIGHT | ERD   |
|-------------|--------|-------|
| 26"(559-22) | 460g   | 538mm |
| 24"(507-22) | 419g   | 487mm |
| 20"(406-22) | 338g   | 385mm |

**HOLES :** 28H/32H/36H  
**JOINT :** SLEEVED  
**OPTIONAL :** GSW/CSW/EYELETS

### BX-20



| SIZE        | WEIGHT | ERD   |
|-------------|--------|-------|
| 26"(559-24) | 530g   | 543mm |
| 24"(507-24) | 480g   | 491mm |
| 20"(406-24) | 385g   | 389mm |
| 16"(305-24) | 290g   | 289mm |

**HOLES :** 20H/28H/32H/36H/48H  
**JOINT :** PINNED  
**OPTIONAL :** GSW/CSW/EYELETS

## BX-16



**SIZE**  
20"(406-24)

**WEIGHT**  
445g

**ERD**  
384mm

**HOLES** : 28H/32H/36H/48H  
**JOINT** : PINNED  
**OPTIONAL** : GSW/CSW/EYELETS

## BX-14



**SIZE**  
24"(507-25)  
22"(457-25)  
20"(406-25)  
16"(305-25)

**WEIGHT**  
462g  
417g  
370g  
280g

**ERD**  
493mm  
442mm  
391mm  
290mm

**HOLES** : 20H/28H/32H/36H/48H  
**JOINT** : PINNED  
**OPTIONAL** : GSW/CSW/EYELETS

## MP-50



**SIZE**  
700C(622-45)  
27.5"(584-45)  
26"(559-45)  
24"(507-45)

**HOLES** : 32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : GSW

## A-7N



**SIZE**  
700C(622-20)  
26"(559-20)

**HOLES** : 32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : GSW

## MP-32



**SIZE**  
26"(559-26)  
24"(507-26)

**HOLES** : 32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : GSW

## A-8V



**SIZE**  
700C(622-16)  
26"(559-16)  
24"(507-16)  
20"(406-16)

**HOLES** : 20H/24H/28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : GSW

## BICYCLE RIM SINGLE WALL


### MP-22



**SIZE**  
26"(559-23)  
24"(507-23)

**HOLES** : 32H/36H  
**JOINT** : PINNED

### EMP-50



**SIZE**  
20"(406-45)  
16"(305-45)

**HOLES** : 28H/32H/36H  
**JOINT** : PINNED

### A-5N



**SIZE**  
26"x1 3/8(590-21) 18"(355-21)  
26"(559-21) 16"(305-21)  
24"(507-21) 14"(254-21)  
22"(457-21) 12"(203-21)  
20"(406-21)

**HOLES** : 20H/24H/28H/36H  
**JOINT** : PINNED  
**OPTIONAL** : GSW

### A-6N



**SIZE**  
26"(559-21) 18"(355-21)  
24"(507-21) 16"(305-21)  
22"(457-21) 14"(254-21)  
20"(406-21) 12"(203-21)

**HOLES** : 20H/24H/28H/36H  
**JOINT** : PINNED  
**OPTIONAL** : GSW

### A-7X



**SIZE**  
26"(559-26) 18"(355-26)  
24"(507-26) 16"(305-26)  
22"(457-26)  
20"(406-26)

**HOLES** : 20H/24H/28H/32H/36H/48H  
**JOINT** : PINNED  
**OPTIONAL** : GSW/EYELETS/DIMPLE


### A-5X



**SIZE**  
700C(622-19) 18"(355-19)  
26"(559-19) 16"(305-19)  
24"(507-19) 14"(254-19)  
20"(406-19)

**HOLES** : 20H/24H/28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : GSW/CSW/EYELETS

### A-35X



**SIZE**  
24"(507-35)  
20"(406-35)

**HOLES** : 32H/36H/48H  
**JOINT** : PINNED  
**OPTIONAL** : EYELETS

### LP-60




**SIZE**  
27"x1 1/4(630-20) 20"x1 3/8(451-20)  
26"x1 3/8(590-20) 18"x1 3/8(400-20)  
24"x1 3/8(540-20)  
22"x1 3/8(501-20)

**HOLES** : 20H/24H/28H/32H/36H  
**JOINT** : PINNED  
**OPTIONAL** : GSW



## LP-50



### SIZE


|                   |                   |
|-------------------|-------------------|
| 27"x1 1/4(630-19) | 20"x1 3/8(451-19) |
| 26"x1 3/8(590-19) | 18"x1 3/8(400-19) |
| 24"x1 3/8(540-19) | 12"(203-19)       |
| 22"x1 3/8(501-19) |                   |

**HOLES :** 20H/24H/28H/32H/36H

**JOINT :** PINNED

**OPTIONAL :** GSW/EYELETS

## LP-40



### SIZE


|                   |                   |
|-------------------|-------------------|
| 27"x1 1/4(630-15) | 20"x1 3/8(451-15) |
| 26"x1 3/8(590-15) | 18"x1 3/8(400-15) |
| 24"x1 3/8(540-15) |                   |
| 22"x1 3/8(501-15) |                   |

**HOLES :** 20H/24H/28H/32H/36H

**JOINT :** PINNED

**OPTIONAL :** GSW/EYELETS

## 7A



### SIZE


|                |                |
|----------------|----------------|
| 26"x1.75-2.125 | 16"x1.75-2.125 |
| 24"x1.75-2.125 | 14"x1.75-2.125 |
| 20"x1.75-2.125 | 12"x1.75-2.125 |
| 18"x1.75-2.125 |                |

**HOLES :** 16H/20H/28H/32H/36H

**FINISH :** BK/CP/ED or Painted Colors

**GAUGES :** 12G/14G

## 7X



### SIZE

|                |                |
|----------------|----------------|
| 28"x1.75-2.125 | 18"x1.75-2.125 |
| 26"x1.75-2.125 | 16"x1.75-2.125 |
| 24"x1.75-2.125 |                |
| 20"x1.75-2.125 |                |

**HOLES :** 16H/20H/28H/32H/36H


**FINISH :** BK/CP/ED or Painted Colors

**GAUGES :** 12G/14G

**OPTIONAL :** Dimpled or Non-Dimple Holes

## BICYCLE RIM STEEL RIM

### STEEL RIM



#### SIZE

14"x1.2 17"x1.4 14"x1.6 17"x1.85  
16"x1.2 18"x1.4 16"x1.6 18"x1.85  
17"x1.2 19"x1.4 17"x1.6 19"x1.85  
19"x1.2 21"x1.4 18"x1.6  
19"x1.6  
21"x1.6

**FINISH** : CP

### YL ALLOY RIM



#### SIZE

17"x1.6  
18"x1.6  
19"x1.6  
21"x1.6

**FINISH** : Silver/Gold/Black/  
Dark Blue/Red/Green/  
Light Blue Anodized/  
High Polish/Sand-Blasting

### TL ALLOY RIM



#### SIZE

17"x2.50  
18"x2.50  
19"x2.50

**FINISH** : Silver/Gold/Black/  
Dark Blue/Red/Green/  
Light Blue Anodized/  
High Polish/Sand-Blasting

### U ALLOY RIM



#### SIZE

14"x1.6 17"x1.85  
16"x1.6 18"x1.85  
17"x1.6 19"x1.85  
18"x1.6 21"x1.85  
19"x1.6

**FINISH** : Silver/Gold/Black/  
Dark Blue/Red/Green/  
Light Blue Anodized/  
High Polish/Sand-Blasting

### TMT ALLOY RIM

**NEW**



#### SIZE

17"x3.0  
17"x3.50

**FINISH** : Silver/Gold/Black/Dark Blue/Red/  
Green/Light Blue Anodized/  
High Polish/Sand-Blasting

### WM ALLOY RIM



#### SIZE

16"x1.1 10"x1.4 16"x1.5 10"x1.6  
17"x1.1 14"x1.4 17"x1.5 12"x1.6  
18"x1.1 16"x1.4 18"x1.5 14"x1.6  
17"x1.4 19"x1.5 16"x1.6  
16"x1.2 18"x1.4 17"x1.6  
17"x1.2 19"x1.4 18"x1.6  
18"x1.2 21"x1.4 19"x1.6  
21"x1.6

12"x1.85 16"x2.15 12"x2.5 16"x3.0  
14"x1.85 17"x2.15 16"x2.5 17"x3.0  
16"x1.85 18"x2.15 17"x2.5 18"x3.0  
17"x1.85 19"x2.15 18"x2.5  
18"x1.85 19"x2.5  
19"x1.85  
21"x1.85

**FINISH** : Silver/Gold/Black/Dark Blue/Red/  
Green/Light Blue Anodized/  
High Polish/Sand-Blasting

### H ALLOY RIM



#### SIZE

16"x1.4 16"x1.6 17"x1.85 17"x2.15  
17"x1.4 17"x1.6 18"x1.85 18"x2.15  
18"x1.4 19"x1.6 19"x1.85 19"x2.15  
19"x1.4 21"x1.6 21"x1.85

16"x3.0  
17"x3.0  
18"x3.0

**FINISH** : Silver/Gold/Black/Dark Blue/Red/Green/  
Light Blue Anodized/High Polish/  
Sand-Blasting

### MT ALLOY RIM



#### SIZE

19"xMT2.15 16"xMT2.5 16"xMT3.0 16"xMT3.5  
21"xMT2.15 17"xMT2.5 17"xMT3.0 17"xMT3.5  
18"xMT2.5 18"xMT3.0 18"xMT3.5

16"xMT4.25  
17"xMT4.25  
18"xMT4.25

**FINISH** : Silver/Gold/Black/Dark Blue/Red/Green/  
Light Blue Anodized/High Polish/  
Sand-Blasting



[www.shining-cycle.com](http://www.shining-cycle.com)